ELSEVIER

Journal of Crystal Growth 186 (1998) 648–653

JOURNAL OF CRYSTAL GROWTH

Author index

Abe, K., see Machida, N. 186 (1998) 362
Abe, K., K. Terashima, T. Matsumoto, S. Maeda and H. Nakanishi, Fused quartz dissolution rate in silicon melts: influence of boron addition 186 (1998) 557
Abukawa, T., see Kim, K.-S. 186 (1998) 95
Achargui, N., see Benhida, A. 186 (1998) 565
Amir, N., see Stolyarova, S. 186 (1998) 55
Arora, B.M., see Chandvankar, S.S. 186 (1998) 329
Asahi, H., see Yamamoto, K. 186 (1998) 33

Bae, I.-H., see Kim, S.-G. 186 (1998) 375
Bagieu-Beucher, M., see Zaccaro, J. 186 (1998) 224
Bai, K. and S.T. Jung, Growth and characterization of pure and Er-doped $CsLiB_6O_{10}$ single crystals 186 (1998) 612
Bangert, H., see Eisenmenger-Sittner, C. 186 (1998) 151
Bao, D., see Gu, H. 186 (1998) 403
Battagliarin, M., see de Oliveira, C.E.M. 186 (1998) 487
Benhida, A., N. Achargui, P. Combette and A. Foucaran, The use of experiment charts for the fabrication of porous silicon 186 (1998) 565
Bennema, P., see Maiwa, K. 186 (1998) 214
Bergauer, A., see Eisenmenger-Sittner, C. 186 (1998) 151
Bhat, H.L., see Venkataraghavan, R. 186 (1998) 322
Bhunia, S. and D.N. Bose, Microwave synthesis, single crystal growth and characterization of ZnTe 186 (1998) 535
Bing, Y., see Yuan, D. 186 (1998) 240
Birch, J., see Fornander, H. 186 (1998) 189
Blakers, A.W., see Weber, K.J. 186 (1998) 369
Bosak, A.A., see Gorbenko, O.Yu. 186 (1998) 181
Bose, D.N., see Bhunia, S. 186 (1998) 535
Bräuer, P. and G. Müller-Vogt, Measurements of aluminum diffusion in molten gallium and indium 186 (1998) 520
Bueno, M.I.M.S., see de Oliveira, C.E.M. 186 (1998) 487
Bühler, L. and S.H. Davis, Flow-induced changes of the morphological stability in directional solidification: localized morphologies 186 (1998) 629
Burachas, S., V. Martynov, V. Ryzhikov, G. Tamulaitis, H.H. Gutbrod and V.I. Manko, Peculiarities of growing $PbWO_4$ scintillator crystals for application in high-energy physics 186 (1998) 175
Burak, Ya.V., The peculiarity of twinning in $Li_2B_4O_7$ single crystals 186 (1998) 302

Catchpole, K., see Weber, K.J. 186 (1998) 369
Chandvankar, S.S., A.P. Shah and B.M. Arora, Doping and surface morphology of $Al_xGa_{1-x}As$/GaAs grown at low temperature by liquid-phase epitaxy 186 (1998) 329
Chen, P., see Gu, H. 186 (1998) 403
Chen, Q., see Sun, X. 186 (1998) 133
Chen, Q.H., see Feng, Q.L. 186 (1998) 245
Chen, T.-C. and H.-C. Wu, Stress and deflection in GaAs/Si layered heterostructures by improved laminate theory 186 (1998) 571
Chen, W., see Wang, B. 186 (1998) 43
Chernov, A.A., see Suvorova, E.I. 186 (1998) 262
Cho, M.W., see Koh, K.W. 186 (1998) 528
Christensson, F., see Suvorova, E.I. 186 (1998) 262
Christoffersen, J., J. Dohrup and M.R. Christoffersen, The importance of formation of hydroxyl ions by dissociation of trapped water molecules for growth of calcium hydroxyapatite crystals 186 (1998) 275
Christoffersen, J., see Christoffersen, M.R. 186 (1998) 283
Christoffersen, M.R., see Christoffersen, J. 186 (1998) 275
Christoffersen, M.R., J. Dohrup and J. Christoffersen, Kinetics of growth and dissolution of calcium hydroxyapatite in suspensions with variable calcium to phosphate ratio 186 (1998) 283
Chung, J.-W., Z.R. Dai and F.S. Ohuchi, WS_2 thin films by metal organic chemical vapor deposition 186 (1998) 137
Coldren, L.A., see Fish, G.A. 186 (1998) 1
Combette, P., see Benhida, A. 186 (1998) 565
Cuendet, N., see Tiller, W.A. 186 (1998) 113
Cui, F.Z., see Feng, Q.L. 186 (1998) 245
Cui, F.Z., see Wen, H.B. 186 (1998) 616

Dai, Z.R., see Chung, J.-W. 186 (1998) 137

Darmo, J., F. Dubecký, H. Hardtdegen, M. Hollfelder and R. Schmidt, Deep-level states in MOVPE AlGaAs: the influence of carrier gas 186 (1998) 13
Davis, S.H., see Bühler, L. 186 (1998) 629
De Carvalho, M.M.G., see de Oliveira, C.E.M. 186 (1998) 487
De Groot, K., see Wen, H.B. 186 (1998) 616
De Oliveira, C.E.M., M.M.G. de Carvalho, C.A.C. Mendonça, C.R. Miskys, G.M. Guadalupi, M. Battagliarin and M.I.M.S. Bueno, Characterization of InP grown by LEC using glassy carbon, silica and PBN crucibles 186 (1998) 487
De Wijn, J.R., see Wen, H.B. 186 (1998) 616
Demura, M., see Golberg, D. 186 (1998) 624
DenBaars, S.P., see Fish, G.A. 186 (1998) 1
DiSalvo, F.J., see Yamane, H. 186 (1998) 8
Doğan, Ö., see Öner, M. 186 (1998) 427
Dohrup, J., see Christoffersen, J. 186 (1998) 275
Dohrup, J., see Christoffersen, M.R. 186 (1998) 283
Dong, C., see Gu, H. 186 (1998) 403
Dong, J., see Wang, H. 186 (1998) 38
Dorogovin, B.A., see Ostapenko, G.T. 186 (1998) 420
Du, J., see Tang, C.C. 186 (1998) 471
Dubecký, F., see Darmo, J. 186 (1998) 13
Durose, K., see Halliday, D.P. 186 (1998) 543

Eggleston, J.M., see Halliday, D.P. 186 (1998) 543
Egry, I., see Langen, M. 186 (1998) 550
Eguchi, M., see Langen, M. 186 (1998) 550
Eisenmenger-Sittner, C., H. Bangert and A. Bergauer, Kinetic phase separation in sputter-deposited aluminium–tin films 186 (1998) 151
Epelbaum, B.M., K. Shimamura, K. Inaba, S. Uda, V.V. Kochurikhin, H. Machida, Y. Terada and T. Fukuda, Edge-defined film-fed (EFG) growth of rare-earth orthovanadates $REVO_4$ (RE = Y, Gd): interface morphology effect on crystal shape and material properties 186 (1998) 607
Espeso, J., see Zaccaro, J. 186 (1998) 224

Fahy, M.R., see Pak, K. 186 (1998) 21
Fan, T., see Wang, H. 186 (1998) 38
Fang, Q., see Yuan, D. 186 (1998) 240
Feigelson, R.S., see Lee, S.Y. 186 (1998) 594
Feng, Q.L., Q.H. Chen, H. Wang and F.Z. Cui, Influence of concentration of calcium ion on controlled precipitation of calcium phosphate within unilamellar lipid vesicles 186 (1998) 245
Fish, G.A., B. Mason, S.P. DenBaars and L.A. Coldren, Improved compositional uniformity of InGaAsP grown by MOCVD through modification of the susceptor temperature profile 186 (1998) 1
Fornander, H., L. Hultman, J. Birch and J.-E. Sundgren, Initial growth of Pd on MgO(0 0 1) 186 (1998) 189
Foucaran, A., see Benhida, A. 186 (1998) 565
Friedman, M., see Tiller, W.A. 186 (1998) 113
Fujibayashi, K., see Tabuchi, M. 186 (1998) 48
Fujiwara, K., see Ohashi, N. 186 (1998) 128
Fujiwara, S., H. Morishita, T. Kotani, K. Matsumoto and T. Shirakawa, Growth of large ZnSe single crystal by CVT method 186 (1998) 60
Fukuda, T., see Epelbaum, B.M. 186 (1998) 607
Fukunaga, O., see Ohashi, N. 186 (1998) 128

Gao, C., see Wang, B. 186 (1998) 43
Golberg, D., M. Demura and T. Hirano, Single crystal growth and characterization of binary stoichiometric and Al-rich Ni_3Al 186 (1998) 624
Gonda, S., see Yamamoto, K. 186 (1998) 33
Gong, Q., see Li, H. 186 (1998) 309
Gorbenko, O.Yu. and A.A. Bosak, Growth of $LaNiO_3$ thin films on MgO by flash MOCVD 186 (1998) 181
Greven, K., see Ludwig, A. 186 (1998) 291
Gu, C., see Yuan, G. 186 (1998) 382
Gu, H., C. Dong, P. Chen, D. Bao, A. Kuang and X. Li, Growth of layered perovskite $Bi_4Ti_3O_{12}$ thin films by sol–gel process 186 (1998) 403
Guadalupi, G.M., see de Oliveira, C.E.M. 186 (1998) 487
Gutbrod, H.H., see Burachas, S. 186 (1998) 175
Guzman, L.A., K. Maeda, S. Hirota and N. Kubota, Adsorption of growth suppressor chromium (III) on potassium sulfate crystals in aqueous solution 186 (1998) 438

Habuka, H., T. Otsuka and M. Katayama, In situ cleaning method for silicon surface using hydrogen fluoride gas and hydrogen chloride gas in a hydrogen ambient 186 (1998) 104
Hagiwara, K., see Tabuchi, M. 186 (1998) 48
Halicioglu, T., see Tiller, W.A. 186 (1998) 113
Halliday, D.P., J.M. Eggleston and K. Durose, A photoluminescence study of polycrystalline thin-film CdTe/CdS solar cells 186 (1998) 543
Hanada, T., see Koh, K.W. 186 (1998) 528
Hardin, G.R., see Peskin, A.P. 186 (1998) 494
Hardtdegen, H., see Darmo, J. 186 (1998) 13
Hasegawa, K., see Kashimoto, E. 186 (1998) 461
Herms, M., K. Roth and G. Irmer, Composition of arsenic and phosphorus vapour in different annealing geometries determined by Raman spectroscopy 186 (1998) 166
Hibiya, T., see Nakamura, S. 186 (1998) 85
Hibiya, T., see Langen, M. 186 (1998) 550
Hidaka, K., see Yamamoto, K. 186 (1998) 33
Hirano, T., see Golberg, D. 186 (1998) 624
Hirata, A., see Nakamura, S. 186 (1998) 85
Hirota, S., see Guzman, L.A. 186 (1998) 438

Hollfelder, M., see Darmo, J. 186 (1998) 13
Hultman, L., see Fornander, H. 186 (1998) 189

Ibanez, A., see Zaccaro, J. 186 (1998) 224
Igarashi, O., Epitaxial growth of hexagonal and cubic CdS on (1 0 0) and 2° off-oriented (1 0 0)GaAs and $CuInSe_2$, and misalignment between $[0\,0\,0\,1]_{CdS}$ and $[1\,1\,1]_{GaAs}$ axes 186 (1998) 344
Iguchi, T., see Tabuchi, M. 186 (1998) 48
Imaishi, N., see Nakamura, S. 186 (1998) 85
Inaba, K., see Epelbaum, B.M. 186 (1998) 607
Irmer, G., see Herms, M. 186 (1998) 166
Ishii, T., Y. Tazoh and S. Miyazawa, Single-crystal growth of $LiGaO_2$ for a substrate of GaN thin films 186 (1998) 409
Isshiki, M., see Koh, K.W. 186 (1998) 528

Jia, Y., see Sun, X. 186 (1998) 133
Jiang, C., see Li, H. 186 (1998) 309
Jiang, H., see Yuan, G. 186 (1998) 382
Jiang, M., see Yuan, D. 186 (1998) 240
Jin, C., see Yuan, G. 186 (1998) 382
Jin, Y., see Yuan, G. 186 (1998) 382
Jitsukawa, H., H. Matsushita and T. Takizawa, Phase diagrams of the (Cu_2Se, CuSe)–$CuGaSe_2$ system and the crystal growth of $CuGaSe_2$ by the solution method 186 (1998) 587
Joyce, B.A., see Pak, K. 186 (1998) 21
Jung, S.T., see Bai, K. 186 (1998) 612

Kaito, C., A. Nonaka, S. Kimura, N. Suzuki and Y. Saito, Size effect on solid–solid reaction growth between Cu film and Se particles 186 (1998) 386
Kakimoto, K., see Nakamura, S. 186 (1998) 85
Kamei, H., see Tabuchi, M. 186 (1998) 48
Kang, T.W., see Kwon, M.S. 186 (1998) 79
Kashimoto, E., G. Sazaki, K. Hasegawa, T. Nakada, S. Miyashita, H. Komatsu, K. Sato, Y. Matsuura and H. Tanaka, Crystallization studies on a concanavalin A crystal with high-index faces 186 (1998) 461
Katayama, M., see Habuka, H. 186 (1998) 104
Kida, M., see Machida, N. 186 (1998) 362
Kim, J., see Kim, S.-G. 186 (1998) 375
Kim, K.-S., Y. Takakuwa, T. Abukawa and S. Kono, RHEED-AES observation of Sb surface segregation during Sb-mediated Si MBE on Si(0 0 1) 186 (1998) 95
Kim, M.D., see Kwon, M.S. 186 (1998) 79
Kim, S.-G., J. Kim, I.-H. Bae, J.G. Koo and K.-S. Nam, Analysis of $Si_{1-x}Ge_x$ on Si heterostructures grown by MBE as a function of substrate temperature 186 (1998) 375
Kimura, M., see Tanaka, A. 186 (1998) 305
Kimura, S., see Kaito, C. 186 (1998) 386
Kitano, K., K. Motohashi, M. Yoshida and K. Miki, A novel approach to crystallizing proteins with temperature-induction method: GrpE protein from *Thermus thermophilus* 186 (1998) 456
Kobashi, A., see Tabuchi, M. 186 (1998) 48
Kochurikhin, V.V., see Epelbaum, B.M. 186 (1998) 607
Koh, K.W., M.W. Cho, Z. Zhu, T. Hanada, K.H. Yoo, M. Isshiki and T. Yao, Growth of ZnSe on GaAs(1 1 0) surfaces by molecular beam epitaxy 186 (1998) 528
Koinova, A.M., see Popov, A.S. 186 (1998) 338
Komatsu, H., see Kashimoto, E. 186 (1998) 461
Kong, M., see Wang, H. 186 (1998) 38
Kong, M., see Li, X. 186 (1998) 298
Kono, S., see Kim, K.-S. 186 (1998) 95
Koo, J.G., see Kim, S.-G. 186 (1998) 375
Korsukova, M.M., see Otani, S. 186 (1998) 582
Kößler, R., see Müller-Vogt, G. 186 (1998) 511
Kotani, T., see Fujiwara, S. 186 (1998) 60
Kuang, A., see Gu, H. 186 (1998) 403
Kubota, N., see Guzman, L.A. 186 (1998) 438
Kvasnitsa, V.N., see Ostapenko, G.T. 186 (1998) 420
Kwon, M.S., J.Y. Lee, M.D. Kim and T.W. Kang, Effects of growth temperature and surface treatment on growth orientation and interface structure during molecular beam epitaxy of CdTe on (0 0 1)GaAs 186 (1998) 79

Lan, C.W. and M.C. Liang, Modeling of dopant segregation in vertical zone-melting crystal growth 186 (1998) 203
Langen, M., T. Hibiya, M. Eguchi and I. Egry, Measurement of the density and the thermal expansion coefficient of molten silicon using electromagnetic levitation 186 (1998) 550
Lee, J.Y., see Kwon, M.S. 186 (1998) 79
Lee, S.Y. and R.S. Feigelson, Reduced optical losses in MOCVD grown lithium niobate thin films on sapphire by controlling nucleation density 186 (1998) 594
Li, H., J. Wu, Z. Wang, J. Liang, B. Xu, C. Jiang, Q. Gong, F. Liu and W. Zhou, Growth and characterization of InGaAs/InAlAs/InP high-electron-mobility transistor structures towards high channel conductivity 186 (1998) 309
Li, S., see Yuan, G. 186 (1998) 382
Li, X., D. Sun, M. Kong and S.F. Yoon, Rapid thermal annealing processing of GaN epilayer on sapphire(0 0 0 1) 186 (1998) 298
Li, X., see Gu, H. 186 (1998) 403
Li, X.-G., see Sun, X. 186 (1998) 133
Li, Y.X., see Tang, C.C. 186 (1998) 471
Liang, J., see Li, H. 186 (1998) 309
Liang, M.C., see Lan, C.W. 186 (1998) 203

Liu, F., see Li, H. 186 (1998) 309
Liu, M., see Yuan, D. 186 (1998) 240
Liu, S., see Wang, B. 186 (1998) 43
Ludwig, A., K. Greven and P.R. Sahm, Morphological stability of a planar interface subject to rapid quenching 186 (1998) 291

Machida, H., see Epelbaum, B.M. 186 (1998) 607
Machida, N., Y. Suzuki, K. Abe, N. Ono, M. Kida and Y. Shimizu, The effects of argon gas flow rate and furnace pressure on oxygen concentration in Czochralski-grown silicon crystals 186 (1998) 362
Madsen, H.E.L., see Suvorova, E.I. 186 (1998) 262
Maeda, K., see Guzman, L.A. 186 (1998) 438
Maeda, S., see Abe, K. 186 (1998) 557
Mah, K.W., see Yoon, S.F. 186 (1998) 475
Maiwa, K., M. Plomp, W.J.P. van Enckevort and P. Bennema, AFM observation of barium nitrate {1 1 1} and {1 0 0} faces: spiral growth and two-dimensional nucleation growth 186 (1998) 214
Manko, V.I., see Burachas, S. 186 (1998) 175
Martynov, V., see Burachas, S. 186 (1998) 175
Mason, B., see Fish, G.A. 186 (1998) 1
Matsumoto, K., see Fujiwara, S. 186 (1998) 60
Matsumoto, T., see Abe, K. 186 (1998) 557
Matsushita, H., see Jitsukawa, H. 186 (1998) 587
Matsuura, Y., see Kashimoto, E. 186 (1998) 461
Mendonça, C.A.C., see de Oliveira, C.E.M. 186 (1998) 487
Miki, K., see Kitano, K. 186 (1998) 456
Miskys, C.R., see de Oliveira, C.E.M. 186 (1998) 487
Mitsuhashi, T., see Otani, S. 186 (1998) 582
Miyashita, S., see Kashimoto, E. 186 (1998) 461
Miyazawa, S., see Ishii, T. 186 (1998) 409
Morishita, H., see Fujiwara, S. 186 (1998) 60
Morita, T.S., see Nakamura, S. 186 (1998) 85
Motohashi, K., see Kitano, K. 186 (1998) 456
Mukai, K., see Nakamura, S. 186 (1998) 85
Müller-Vogt, G. and R. Kößler, Application of the shear cell technique to diffusivity measurements in melts of semiconducting compounds: Ga–Sb 186 (1998) 511
Müller-Vogt, G., see Bräuer, P. 186 (1998) 520

Nakada, T., see Kashimoto, E. 186 (1998) 461
Nakagawa, T., see Sugaya, T. 186 (1998) 27
Nakamura, S., T. Hibiya, K. Kakimoto, N. Imaishi, S.-i. Nishizawa, A. Hirata, K. Mukai, S.-i. Yoda and T.S. Morita, Temperature fluctuations of the Marangoni flow in a liquid bridge of molten silicon under microgravity on board the TR-IA-4 rocket 186 (1998) 85
Nakanishi, H., see Abe, K. 186 (1998) 557
Nam, K.-S., see Kim, S.-G. 186 (1998) 375
Nemirovsky, Y., see Stolyarova, S. 186 (1998) 55
Ning, Y., see Yuan, G. 186 (1998) 382
Nishizawa, Shin-ichi, see Nakamura, S. 186 (1998) 85
Nonaka, A., see Kaito, C. 186 (1998) 386

Ohashi, N., K. Fujiwara, T. Tsurumi and O. Fukunaga, Growth of orthorhombic $SrCuO_2$ by a traveling solvent floating zone method and its phase transformation under high pressure 186 (1998) 128
Ohuchi, F.S., see Chung, J.-W. 186 (1998) 137
Öner, G., see Öner, M. 186 (1998) 427
Öner, M., Ö. Doğan and G. Öner, The influence of polyelectrolytes architecture on calcium sulfate dihydrate growth retardation 186 (1998) 427
Ono, N., see Machida, N. 186 (1998) 362
Ostapenko, G.T., V.N. Kvasnitsa, L.P. Timoshkova, N.P. Semenenko and B.A. Dorogovin, Synthetic andalusite crystals: morphology and growth features 186 (1998) 420
Otani, S., M.M. Korsukova and T. Mitsuhashi, Preparation of HfB_2 and ZrB_2 single crystals by the floating-zone method 186 (1998) 582
Otsuka, T., see Habuka, H. 186 (1998) 104

Pak, K., M.R. Fahy, X.-M. Zhang and B.A. Joyce, The substrate orientation dependence of In atom incorporation during the growth of (In,Ga)As on GaAs by molecular-beam epitaxy 186 (1998) 21
Peng, Y., see Wang, B. 186 (1998) 43
Peskin, A.P. and G.R. Hardin, Gallium arsenide growth in a pancake MOCVD reactor 186 (1998) 494
Plomp, M., see Maiwa, K. 186 (1998) 214
Pokrovsky, O.S., Precipitation of calcium and magnesium carbonates from homogeneous supersaturated solutions 186 (1998) 233
Popov, A.S., A.M. Koinova and S.L. Tzeneva, The In–As–Sb phase diagram and LPE growth of InAsSb layers on InAs at extremely low temperatures 186 (1998) 338
Potapenko, S.Y., Formation of solution inclusions in crystal under effect of solution flow 186 (1998) 446

Radhakrishnan, K., see Yoon, S.F. 186 (1998) 315
Rao, K.S.R.K., see Venkataraghavan, R. 186 (1998) 322
Rosenberger, F., see Vekilov, P.G. 186 (1998) 251
Roth, K., see Herms, M. 186 (1998) 166
Ryzhikov, V., see Burachas, S. 186 (1998) 175

Sahm, P.R., see Ludwig, A. 186 (1998) 291
Saito, Y., see Kaito, C. 186 (1998) 386
Sato, K., see Kashimoto, E. 186 (1998) 461
Satoh, J., see Yamamoto, K. 186 (1998) 33
Sazaki, G., see Kashimoto, E. 186 (1998) 461

Schmidt, R., see Darmo, J. 186 (1998) 13
Sekiguchi, T., see Yamane, H. 186 (1998) 8
Semenenko, N.P., see Ostapenko, G.T. 186 (1998) 420
Shah, A.P., see Chandvankar, S.S. 186 (1998) 329
Shaw, R., see Tiller, W.A. 186 (1998) 113
Shi, J., K. Zhu, W. Yao and L. Zhang, Growth of InAs nanocrystals embedded in SiO_2 films by radio-frequency magnetron co-sputtering 186 (1998) 480
Shimada, M., see Yamane, H. 186 (1998) 8
Shimamura, K., see Epelbaum, B.M. 186 (1998) 607
Shimizu, Y., see Machida, N. 186 (1998) 362
Shin, H.-Y. and C.-Y. Sun, Temperature-gradient-solution grown CdTe crystals for γ-ray detectors 186 (1998) 67
Shin, H.-Y. and C.-Y. Sun, Photoluminescence spectra of Cl-doped CdTe crystals 186 (1998) 354
Shirakawa, T., see Fujiwara, S. 186 (1998) 60
Song, H., see Yuan, G. 186 (1998) 382
Stolyarova, S., N. Amir and Y. Nemirovsky, Rapid thermal metal organic chemical vapor deposition of ZnTe 186 (1998) 55
Sugaya, T., T. Nakagawa, Y. Sugiyama, Y. Tanuma and K. Yonei, Effects of As_2 flux for fabrication of GaAs/AlGaAs quantum wires on V-grooved substrates in molecular beam epitaxy 186 (1998) 27
Sugiyama, Y., see Sugaya, T. 186 (1998) 27
Sukegawa, T., see Tanaka, A. 186 (1998) 305
Sun, C.-Y., see Shin, H.-Y. 186 (1998) 67
Sun, C.-Y., see Shin, H.-Y. 186 (1998) 354
Sun, D., see Li, X. 186 (1998) 298
Sun, S., see Yuan, D. 186 (1998) 240
Sun, X., W. Wu, Q. Chen, Y. Jia, G. Zhou, X.-G. Li and Y. Zhang, Preparation and characterization of a new single crystal $Bi_2Sr_{1.5}Pr_{2.5}Cu_2O_y$ 186 (1998) 133
Sundgren, J.-E., see Fornander, H. 186 (1998) 189
Suvorova, E.I., F. Christensson, H.E.L. Madsen and A.A. Chernov, Terrestrial and space-grown HAP and OCP crystals: effect of growth conditions on perfection and morphology 186 (1998) 262
Suzuki, N., see Kaito, C. 186 (1998) 386
Suzuki, Y., see Machida, N. 186 (1998) 362
Swaminathan, S., see Yoon, S.F. 186 (1998) 315

Tabuchi, M., K. Fujibayashi, N. Yamada, K. Hagiwara, A. Kobashi, T. Iguchi, Y. Takeda and H. Kamei, Determination of composition distributions in InP/InGaAs/InP quantum-well structures by X-ray crystal truncation rod scattering and quantum levels 186 (1998) 48
Takakuwa, Y., see Kim, K.-S. 186 (1998) 95
Takeda, Y., see Tabuchi, M. 186 (1998) 48
Takizawa, T., see Jitsukawa, H. 186 (1998) 587
Tamulaitis, G., see Burachas, S. 186 (1998) 175
Tanaka, A., T. Yoneyama, M. Kimura and T. Sukegawa, Control of GaInSb alloy composition grown from ternary solution 186 (1998) 305
Tanaka, H., see Kashimoto, E. 186 (1998) 461
Tang, C.C., Y.X. Li, J. Du, G.H. Wu and W.S. Zhan, Growth of iron-based Laves phase containing Pr and Nd magnetostrictive materials 186 (1998) 471
Tanuma, Y., see Sugaya, T. 186 (1998) 27
Tazoh, Y., see Ishii, T. 186 (1998) 409
Terada, Y., see Epelbaum, B.M. 186 (1998) 607
Terashima, K., see Abe, K. 186 (1998) 557
Tian, Y., see Yuan, G. 186 (1998) 382
Tiller, W.A., M. Friedman, R. Shaw, N. Cuendet and T. Halicioglu, Grown-in point defects and microscopic defect formation in CZ silicon. I. The one-dimensional, steady-state approximation 186 (1998) 113
Timoshkova, L.P., see Ostapenko, G.T. 186 (1998) 420
Tsurumi, T., see Ohashi, N. 186 (1998) 128
Tzeneva, S.L., see Popov, A.S. 186 (1998) 338

Uda, S., see Epelbaum, B.M. 186 (1998) 607

Van den Brink, J., see Wen, H.B. 186 (1998) 616
Van Enckevort, W.J.P., see Maiwa, K. 186 (1998) 214
Vekilov, P.G. and F. Rosenberger, Protein crystal growth under forced solution flow: experimental setup and general response of lysozyme 186 (1998) 251
Venkataraghavan, R., K.S.R.K. Rao and H.L. Bhat, The effect of temperature gradient and ampoule velocity on the composition and other properties of Bridgman-grown indium antimonide 186 (1998) 322

Wang, B., Y. Peng, F. Zhao, W. Chen, S. Liu and C. Gao, Spontaneously ordered InAs self-assembled quantum dots grown on GaAs/InP substrate 186 (1998) 43
Wang, H., T. Fan, J. Wu, Y. Zeng, J. Dong and M. Kong, Effects of growth temperature on highly mismatched InAs grown on GaAs substrates by MBE 186 (1998) 38
Wang, H., see Feng, Q.L. 186 (1998) 245
Wang, Z., see Li, H. 186 (1998) 309
Weber, K.J., K. Catchpole and A.W. Blakers, Epitaxial lateral overgrowth of Si on (1 0 0)Si substrates by liquid-phase epitaxy 186 (1998) 369
Wen, H.B., J. van den Brink, J.R. de Wijn, F.Z. Cui and K. de Groot, Crystal growth of calcium phosphate on chemically treated titanium 186 (1998) 616
Wu, G.H., see Tang, C.C. 186 (1998) 471
Wu, H.-C., see Chen, T.-C. 186 (1998) 571

Wu, J., see Wang, H. 186 (1998) 38
Wu, J., see Li, H. 186 (1998) 309
Wu, W., see Sun, X. 186 (1998) 133

Xu, B., see Li, H. 186 (1998) 309
Xu, D., see Yuan, D. 186 (1998) 240

Yamada, N., see Tabuchi, M. 186 (1998) 48
Yamamoto, K., H. Asahi, K. Hidaka, J. Satoh and S. Gonda, Metalorganic molecular beam epitaxy and etching of AlGaSb using trisdimethylaminoantimony 186 (1998) 33
Yamane, H., M. Shimada, T. Sekiguchi, F.J. DiSalvo, Morphology and characterization of GaN single crystals grown in a Na flux 186 (1998) 8
Yao, T., see Koh, K.W. 186 (1998) 528
Yao, W., see Shi, J. 186 (1998) 480
Yoda, Shin-ichi, see Nakamura, S. 186 (1998) 85
Yonei, K., see Sugaya, T. 186 (1998) 27
Yoneyama, T., see Tanaka, A. 186 (1998) 305
Yoo, K.H., see Koh, K.W. 186 (1998) 528
Yoon, S.F., see Li, X. 186 (1998) 298
Yoon, S.F., P.H. Zhang, H.Q. Zheng, K. Radhakrishnan and S. Swaminathan, Substrate temperature effects on the growth of $In_{1-x-y}Ga_xAl_yAs$ on InP substrates by molecular beam epitaxy 186 (1998) 315
Yoon, S.F., H.Q. Zheng, P.H. Zhang and K.W. Mah, Electrical and optical properties of InP grown at different cracking temperature and V/III ratio using a valve phosphorous cracker cell 186 (1998) 475
Yoshida, M., see Kitano, K. 186 (1998) 456
Yuan, D., Z. Zhong, M. Liu, D. Xu, Q. Fang, Y. Bing, S. Sun and M. Jiang, Growth of cadmium mercury thiocyanate single crystal for laser diode frequency doubling 186 (1998) 240
Yuan, G., Y. Jin, C. Jin, B. Zhang, H. Song, Y. Ning, T. Zhou, H. Jiang, S. Li, Y. Tian and C. Gu, Growth of diamond on silicon tips 186 (1998) 382

Zaccaro, J., M. Bagieu-Beucher, J. Espeso and A. Ibanez, Structural characterization and crystal growth of the 2-amino-5-nitropyridinium dihydrogenphosphate/arsenate hybrid solid solution 186 (1998) 224
Zeng, H.C., Vapour phase growth of orthorhombic molybdenum trioxide crystals at normal pressure of purified air 186 (1998) 393
Zeng, Y., see Wang, H. 186 (1998) 38
Zhan, W.S., see Tang, C.C. 186 (1998) 471
Zhang, B., see Yuan, G. 186 (1998) 382
Zhang, L., see Shi, J. 186 (1998) 480
Zhang, P.H., see Yoon, S.F. 186 (1998) 315
Zhang, P.H., see Yoon, S.F. 186 (1998) 475
Zhang, X.-M., see Pak, K. 186 (1998) 21
Zhang, Y., see Sun, X. 186 (1998) 133
Zhao, F., see Wang, B. 186 (1998) 43
Zheng, H.Q., see Yoon, S.F. 186 (1998) 315
Zheng, H.Q., see Yoon, S.F. 186 (1998) 475
Zhong, Z., see Yuan, D. 186 (1998) 240
Zhou, G., see Sun, X. 186 (1998) 133
Zhou, T., see Yuan, G. 186 (1998) 382
Zhou, W., see Li, H. 186 (1998) 309
Zhu, K., see Shi, J. 186 (1998) 480
Zhu, Z., see Koh, K.W. 186 (1998) 528

ELSEVIER

Journal of Crystal Growth 186 (1998) 654–655

JOURNAL OF CRYSTAL GROWTH

Subject index

Apparatus
– for crystal growth
– – in solution 224
– – of protein 251
– for growth of homogeneous alloys 305
– for liquid phase epitaxy 329
– for surface topography
– – by atomic force microscopy 214

Cellular growth
– of andalusite crystals 420
– of porous silicon 565
Computer simulation
– of binary material systems 151
– of vertical zone melting crystal growth 203
Convection 60, 166, 203, 251

Device characterization
– deep-level transient spectroscopy 13
– electronic materials 13
– laser diode frequency doubling 240
– photovoltaic devices 543
– quantum wells 48
– quantum wires and dots 27, 43
Diffusional control
– of aluminum in molten gallium and indium 520
– of indium in molten gallium 511
– of point defects 113
Dissolution
– of calcium hydroxyapatite 275, 283
– of silicon dioxide and boron in molten silicon 557

Electronic materials, see Device characterization
Epitaxy, see Thin film growth
Etching
– chemical 33, 302, 616

Heat flow control
– of vertical zone melting 203
Hydrodynamics, see Convection

Kinetics
– of diffusion in molten gallium 511, 520
– of growth 43, 151, 189, 251, 275, 283, 420, 427, 438
– of interface control 322
– of nucleation 151, 189, 233, 245, 275
– of vapor dissociation 166

Lasers, crystals
– for generating blue light 240
– for nonlinear optics 224

Melt growth technique
– by Bridgman–Stockbarger method
– – of indium antimonide 322
– by Czochralski method
– – of cerium iron 471
– – of indium phosphide 487
– – of led tungstate 175
– – of lithium gallium oxide 409
– – of lithium tetraborate 302
– – of silicon 113, 362
– by edge-defined film-fed
– – of rare-earth orthovanadates 607
– by floating zone method
– – of aluminum-rich nickel aluminates 624
– – of hafnium borate 582
– – of strontium cuprate 128
– – of zirconium borate 582
– by temperature gradient solution
– – of cadmium telluride 67
– by uniaxial solidification 629
– by vertical Bridgman method
– – of zinc telluride 535
– by zone melting
– – of germanium 203
Microgravity, growth under 85
– of crystal shape 607
– of hydroxyapatite 262
– of lysozyme 251
– of octacalcium phosphate 262
Morphological stability 629
– of lithium tetraborate 302
– of solid-liquid interface 291
– of vicinal crystal face 446
– of zinc selenide 60

Nucleation
– of calcium carbonate 233
– of calcium phosphate 245
– of lithium niobate 594
– of palladium 189
Numbers
– Grashof 629
– Marangoni 85
– Rayleigh 203, 629
– Schmidt 629

Phase diagram
– of arsenic and phosphorus 166
– of copper gallium selenide 587
– of indium arsenide antimonide 338
Precursor
– for calcite 233
– for metalorganic chemical vapor deposition 137
Purification, of germanium 203

Quantum dots, wells and wires, see Device characterization

Solid growth technique
– by solid–solid reaction
– – of copper selenide 386
– by strain anneal
– – of gallium nitride 298
Solution growth technique
– by Czochralski method
– – of gallium indium antimonide 305
– by flux method
– – of bismuth strontium praseodymium cuprate 133
– – of cesium lithium borate 612
– – of copper gallium selenide 587
– – of gallium nitride 8
– – of hydroxyapatite 616
– – of octacalcium phosphate 616
– – of protein 456
– by gel method
– – of bismuth titanate 403
– by hydrothermal growth
– – of aluminosilicate 420
– by salting out method
– – of concanavalin A 461
– – of lectin protein 461
– by supersaturated aqueous solution 214
Stefan problem or moving boundary problem
– of point defects distribution 113
Superlattices, multilayers
– of gallium arsenide, silicon 571
Surface energy, determination
– of calcium carbonate 233
– of calcium hydroxyapatite 275, 283
– of concanavalin A 461
Surface structure
– of barium nitrate 214
– of calcium hydroxyapatite 275
Thermophysical properties of molten silicon 550
Thin film growth, epitaxy
– by electrochemical anodization
– – of porous silicon 565
– by liquid phase epitaxy
– – of aluminum gallium arsenide 329
– – of indium arsenide antimonide 338
– – of silicon 369
– by metalorganic molecular beam epitaxy
– – of aluminum gallium antimonide 33
– – of tungsten sulphide 137
– by molecular beam epitaxy
– – of aluminum gallium arsenide 27
– – of cadmium telluride 79
– – of gallium arsenide 27
– – of gallium nitride 298
– – of germanium silicon 375
– – of indium aluminum arsenide 309
– – of indium arsenide 38
– – of indium gallium arsenide 21, 309
– – of indium gallium aluminum arsenide 315
– – of indium phosphide 475
– – of lithium gallium oxide 409
– – of silicon 95
– – of zinc selenide 528
– by sol–gel method
– – of bismuth titanate 403
– by vapor phase epitaxy
– – through chemical vapor deposition
– – – of cadmium sulphide 344
– – – of copper indium selenide 344
– – – of diamond 382
– – – of silicon 104
– – through evaporation and condensation
– – – of indium gallium arsenide 48
– – – of indium gallium arsenide phosphide 1
– – – of indium phosphide 48
– – – of lanthanum nickelate 181
– – – of palladium 189
– – through magnetron cosputtering
– – – of indium arsenide 480
– – through magnetron sputtering
– – – of aluminum tin 151
– – through metalorganic chemical vapor deposition
– – – of aluminum gallium arsenide 13
– – – of gallium arsenide 494
– – – of indium arsenide 43
– – – of lithium niobate 594
– – – of zinc telluride 55

Vapor growth technique
– by chemical transport
– – of zinc selenide 60
– by evaporation and condensition
– – of molybdenum trioxide 393